

IN STOCK TODAY *FDA Approved


Call 833-367-6778



SMART TRANSPORT MEDIUM AND ACCUSWAB

Viruses, Chlamydia, Mycoplasma
and Ureaplasma

1.5 ml Vial



For collection,
transport,
maintenance
and long term
freeze storage
of Virus, Chlamydia,
Mycoplasma and
Ureaplasma



AccuSwab™

Package	1000 units per box
Tip	Nylon Fiber
Rod	Nylon
Sterility	Gamma Sterile



Smart Transport Medium (STM)

Package	50 units per package
Vial	Screw cap with tube
Active ingredient	Phenol Red (11%)
Chemical name	Phenolsulfonphthalein
Storage temperature	5 to 25 C
Intended use	Culture: Viruses, Chlamydia, Mycoplasma and Ureaplasma

(AccuSwab and Smart transport System (STM) are sold separately)

ADVANTAGES

- ▶ Stable at room temperature.
- ▶ Patient sample material and particles are rapidly released and dispersed.
- ▶ Our STM includes antibiotics to help inhibit bacteria and fungal flora in the sample for the most accurate result.
- ▶ The molded break points are both safe and reliable.
- ▶ Our STM is a stand-up and shatter-proof tube enabling quality centrifugation of the sample.

Distributed by:



(833) 367-6778
Johnathan Maness, CEO
the1legbandit@manessveteranmedical
www.manessveteranmedical.com

vectormed.co




SMART TRANSPORT MEDIUM AND ACCUSWAB


HOW TO USE GUIDE




1 Thoroughly wash your hands and put gloves on.




2 Gently insert the AccuSwab along the nasal septum.




3 Continue inserting the AccuSwab until met with resistance.




4 Gently rotate the AccuSwab against the mucus for 10 - 15 seconds. Once done, gently remove the AccuSwab.




5 Upon removing the AccuSwab, place it with care in the STM (Smart Transport Medium) until it reaches the bottom.



6 While holding the STM away from your face, bend the AccuSwab at a 180° angle to break at the designated breakpoint.



7 Once finished, secure the cap of the STM tightly.



8 Fill out the relevant information on the label.

! THE FOLLOWING GUIDE IS FOR EXAMPLE PURPOSES ONLY

Distributed by:



(833) 367-6778
Johnathan Maness, CEO
the1legbandit@manessveteranmedical.com
www.manessveteranmedical.com

10 Industrial Ave, Unit 4, Mahwah, NJ 07430, USA +1(201)-482-9835 info@vectormed.co vectormed.co

All content © MedSchenker Inc. Any use of this material without the express written consent of MedSchenker Inc. is prohibited.

SAFETY DATA SHEET

Section 1: Identification

Product Name: MedSchenker STM (Smart Transport Medium)

Company: Vectornate USA inc, 10 Industrial Ave, Ste 4, Mahwah, NJ, 07430

In an emergency call 911.


For information about this SDS, use this department contact phone#: +1 201 482 9835 or email to info@vectornate.com

Section 2: Hazard(s) Identification

See <https://www.sigmaaldrich.com/safety-center/globally-harmonized.html> for a list of hazard classifications, signal words, hazard statements, pictograms, precautionary statements, and a description of hazards.

Hazard Classification: This product is not classified under a globally harmonized system (GHS).

NFPA



HMIS

Health Hazard	0
Fire Hazard	0
Reactivity	0

* NFPA: Health = 0, Flammability = 0, Reactivity = 0

* HMIS: Health = 0, Flammability = 0, Reactivity = 0

Hazard Statements: VN has a triple 0 rating for their solution in their UTM others give simple examples such as

- Skin Contact: *Irritant*
- Eye Contact : *irritant*

Pictograms:





MedSchenker Smart Transport Medium

Version 1.0
Dated April 2nd 2020
Printed April 3rd 2020

Section 3: Composition/ Information on Ingredients

1. Chemical characterization: Mixture
2. Description: Mixture consisting of the following components.

Chemical Name	Synonym	CAS#	Conc.
Water (reverse osmosis)			0.99L
Sucrose			118g
L-glutamic			2.65g
Phenol Red			0.1g
Vancomycin			0.12g
Amphotericin B			0.088g

Section 4: First-Aid Measures

After skin contact: Immediately wash with water and soap, rinse thoroughly
After eye contact: Flush open eye with plenty of water for 15 minutes.
After inhalation: Consult doctor
After swallowing: Consult doctor

Section 5: Fire-Fighting Measures

Suitable extinguishing agents: CO2, dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam
Special protective equipment for firefighters: No special measures required

Section 6: Accidental Release Measures



MedSchenker Smart Transport Medium

Version 1.0
Dated April 2nd 2020
Printed April 3rd 2020

Personal precautions: Ensure adequate ventilation
Measures for environmental protection: Do not allow water to enter sewers or groundwater.
Measures for cleaning/collecting: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Section 7: Handling and Storage

Handling: No special measures required
Storage: Store at 2- 25 Celcius.

Section 8: Exposure Controls/Personal Protection

Breathing equipment: N/A
Protection of hands: Disposable Rubber Gloves
Eye protection: Safety Glasses

Section 9: Physical and Chemical Properties

Form: Liquid
Odor: Characteristic
pH: 7.3 +/- 0.2
Melting point/melting range: Not determined
Boiling point/boiling range: Not determined
Flash point: N/A
Evaporation rate: N/A
Auto ignition temperature: Not self igniting
Danger of explosion: No explosion hazard present
Solubility in/Miscibility with water: Soluble

Section 10: Stability and Reactivity

Reactivity: No further relevant information available.
Chemical stability: Thermal decomposition / conditions to be avoided:
Conditions to avoid: No further relevant information available.
Incompatible materials: strong oxidizers.
Hazardous decomposition products: No dangerous decomposition products known

Section 11: Toxicological Information

Acute toxicity:
Potential routes of exposure/potential health effects
The product shows the following dangers according to internally approved calculation methods for preparations: The product is not subject to OSHA classification according to internally approved



MedSchenker Smart Transport Medium

Version 1.0
Dated April 2nd 2020
Printed April 3rd 2020

calculation methods for preparations. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Skin: No irritating effect.

Eye: No irritating effect.

Sensitization: No sensitizing effects known.

Section 12: Ecological Information (non-mandatory)

Ecotoxicity: No further relevant information available.

Mobility: No further relevant information available.

Biodegradation: No further relevant information available.

Bioaccumulation: No further relevant information available.

Section 13: Disposal Considerations (non-mandatory)

1. This product is not considered a RCRA hazardous waste. Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements. Smaller quantities can be disposed of with solid waste
2. Uncleaned packagings:
 - a. Recommendation: Disposal must be made according to state and federal regulations.
 - b. Recommended cleansing agent: Water, if necessary with cleansing agents

Section 14: Transport Information (non-mandatory)

DOT regulations:

- Hazard class:
- Land transport ADR/RID (cross-border):
- ADR/RID class:
- Maritime transport IMDG:

Air transport ICAO-TI and IATA-DGR:

- ICAO/IATA Class:

Section 15: Regulatory Information (non-mandatory)

Safety, health and environmental regulations specific for the product in question

US Federal Regulations



MedSchenker Smart Transport Medium

Version 1.0
Dated April 2nd 2020
Printed April 3rd 2020

SARA Section 355 (extremely hazardous substances): None of the ingredients is listed
SARA Section 313 (specific toxic chemical listings): None of the ingredients is listed
Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs): None of the ingredients is listed
TSCA (Toxic Substances Control Act): None of the ingredients is listed

Section 16: Other Information

Vectornate USA Inc provides the information in this document in good faith and believes the information to be accurate. The chemical, physical, and toxicological properties of this product have not been thoroughly investigated. It is the responsibility of the buyer to research and understand safe methods of handling, storing, and disposal of this product. Vectornate USA Inc makes no warranty with respect to such information and assumes no liability for any loss or injury, which may result from the use of this information. It is the buyers responsibility to comply with local, state, and federal regulations concerning use and disposal of this product.

SDS date of preparation/update: April 2nd, 2020



[FDA Home](#)³ [Medical Devices](#)⁴ [Databases](#)⁵

Establishment Registration & Device Listing

[New Search](#)

[Back To Search Results](#)

Proprietary Name:	MedSchenker
Classification Name:	CULTURE MEDIA, NON-SELECTIVE AND NON-DIFFERENTIAL
Product Code:	JSG ⁶
Device Class:	1
Regulation Number:	866.2300 ⁷
Medical Specialty:	Microbiology
Registered Establishment Name:	KOREA STANDARD CO., LTD ⁸
Registered Establishment Number:	3012454752
Owner/Operator:	KOREA STANDARD CO.,LTD ⁹
Owner/Operator Number:	10050495
Establishment Operations:	Manufacturer; Repackager/Relabeler

Links on this page:

1. <http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdomain>
2. <http://www.addthis.com/bookmark.php>
3. <https://www.fda.gov/>
4. <https://www.fda.gov/Medical-Devices>
5. <https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases>
6. </scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=3375>
7. </scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=866.2300>
8. </scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=188584>
9. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10050495

Page Last Updated: 05/11/2020

Note: If you need help accessing information in different file formats, see [Instructions for Downloading Viewers and Players](#).

Language Assistance Available: [Español](#) | [繁體中文](#) | [Tiếng Việt](#) | [한국어](#) | [Tagalog](#) | [Русский](#) | [العربية](#) | [Kreyòl Ayisyen](#) | [Français](#) | [Polski](#) | [Português](#) | [Italiano](#) | [Deutsch](#) | [日本語](#) | [فارسی](#) | [English](#)

[Accessibility Contact](#) [FDA Careers](#) [FDA Basics](#) [FOIA](#) [No FEAR Act](#) [Nondiscrimination](#) [Website Policies](#)



U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)

[Contact FDA](#)



[For Government For Press](#)

[Combination Products Advisory Committees](#) [Science & Research](#) [Regulatory Information](#) [Safety Emergency Preparedness](#) [International Programs](#) [News & Events](#) [Training and Continuing Education](#)
[Inspections/Compliance](#) [State & Local Officials](#) [Consumers](#) [Industry Health Professionals](#) [FDA Archive](#)

**Links on this page:**

1. <http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain>
2. <http://www.addthis.com/bookmark.php>
3. <https://www.fda.gov/>
4. <https://www.fda.gov/Medical-Devices>
5. <https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases>
6. </scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=3375>
7. </scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=866.2300>
8. </scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=188584>
9. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10050495



[FDA Home](#)³ [Medical Devices](#)⁴ [Databases](#)⁵

Establishment Registration & Device Listing

[New Search](#)

[Back To Search Results](#)

Proprietary Name:	MedSchenker
Classification Name:	APPLICATOR, ABSORBENT TIPPED, STERILE
Product Code:	KXG ⁶
Device Class:	1
Regulation Number:	880.6025 ⁷
Medical Specialty:	General Hospital
Registered Establishment Name:	KOREA STANDARD CO., LTD ⁸
Registered Establishment Number:	3012454752
Owner/Operator:	KOREA STANDARD CO., LTD ⁹
Owner/Operator Number:	10050495
Establishment Operations:	Manufacturer; Repackager/Relabeler

Links on this page:

1. <http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdomain>
2. <http://www.addthis.com/bookmark.php>
3. <https://www.fda.gov/>
4. <https://www.fda.gov/Medical-Devices>
5. <https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases>
6. </scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=2668>
7. </scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=880.6025>
8. </scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=188584>
9. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10050495

Page Last Updated: 05/11/2020

Note: If you need help accessing information in different file formats, see [Instructions for Downloading Viewers and Players](#).

Language Assistance Available: [Español](#) | [繁體中文](#) | [Tiếng Việt](#) | [한국어](#) | [Tagalog](#) | [Русский](#) | [العربية](#) | [Kreyòl Ayisyen](#) | [Français](#) | [Polski](#) | [Português](#) | [Italiano](#) | [Deutsch](#) | [日本語](#) | [فارسی](#) | [English](#)

[Accessibility](#) [Contact FDA](#) [Careers](#) [FDA Basics](#) [FOIA](#) [No FEAR Act](#) [Nondiscrimination](#) [Website Policies](#)



U.S. Food and Drug Administration
10903 New Hampshire Avenue
Silver Spring, MD 20993
Ph. 1-888-INFO-FDA (1-888-463-6332)
[Contact FDA](#)



[For Government](#) [For Press](#)

[Combination Products Advisory Committees](#) [Science & Research](#) [Regulatory Information](#) [Safety Emergency Preparedness](#) [International Programs](#) [News & Events](#) [Training and Continuing Education](#)
[Inspections/Compliance](#) [State & Local Officials](#) [Consumers](#) [Industry](#) [Health Professionals](#) [FDA Archive](#)

**Links on this page:**

1. <http://www.addthis.com/bookmark.php?u508=true&v=152&username=fdamain>
2. <http://www.addthis.com/bookmark.php>
3. <https://www.fda.gov/>
4. <https://www.fda.gov/Medical-Devices>
5. <https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/medical-device-databases>
6. </scripts/cdrh/cfdocs/cfPCD/classification.cfm?ID=2668>
7. </scripts/cdrh/cfdocs/cfCFR/CFRsearch.cfm?FR=880.6025>
8. </scripts/cdrh/cfdocs/cfRL/rl.cfm?rid=188584>
9. /scripts/cdrh/cfdocs/cfRL/rl.cfm?start_search=1&OwnerOperatorNumber=10050495